



Identifying your business

WORK-PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

## DY-MARK SPRAY & MARK FL YELLOW AEROSOL

HAZARDOUS ACCORDING TO WORKSAFE CRITERIA

43773

Company Contact No. (07) 3271 2222

### INGREDIENTS

INGREDIENTS (CHEMICAL ENTITY)		CAS No	%	TWA
toluene	108-88-3	30-60	50 ppm	
acetone	67-64-1	10-30	500 ppm	
ethanol	64-17-5	1-10	1000 ppm	
dimethyl ether	115-10-6	1-10	400 ppm	

UN Number: 1950

Hazchem Code: 2Y

D. Goods Class: 2.1

Subsidiary Risk: None

Poisons Schedule No: None

### PROPERTIES

Liquid.

Gas.

Does not mix with water.

### HEALTH HAZARD INFORMATION

Acute Health Effects:

Irritating to eyes.

Harmful by inhalation and if swallowed.

Can be absorbed through skin.

Vapours may cause dizziness or suffocation.

Skin contact may produce health damage\*.

May produce discomfort of the respiratory system and skin\*.

Vapours potentially cause drowsiness and dizziness\*.

\* (limited evidence).

Chronic Health Effects:

Exposure may produce irreversible effects\*.

May be harmful to the foetus/ embryo\*.  
Cumulative effects may result following exposure\*.  
\* (limited evidence).

## **FIRST AID**

Swallowed:

Contact doctor or Poisons Centre.

Give glass of water.

Eye:

Wash with running water (15 mins).

Medical attention.

Skin:

Wash with soap & water.

Apply cleansing cream.

Inhaled:

Fresh air.

Rest, keep warm.

If breathing shallow, give oxygen.

Medical attention.

## **PRECAUTIONS FOR USE**

Engineering Controls:

General Exhaust Ventilation adequate.

Glasses:

Not normally required.

Chemical goggles.

Gloves:

1. NEOPRENE

Respirator:

Type AX-P Filter of sufficient capacity

Flammability:

In use, may form flammable/ explosive vapour- air mixture.

## **SAFE HANDLING INFORMATION**

Storage & Transport:

Keep container in a well ventilated place.

Keep away from food, drink and animal feeding stuffs.

Store in cool, dry, protected area.

Spills & Disposal:

Eliminate ignition sources.

Prevent from entering drains.

Contain spillage by any means.

Absorb with dry agent.

Stop leak if safe to do so.

Take off immediately all contaminated clothing.

To clean the floor and all objects contaminated by this material, use water and

detergent.

Fire/Explosion Hazard:

Highly flammable.

Toxic smoke/ fumes in a fire.

Risk of explosion if heated under confinement.

Fire Fighting:

Keep containers cool.

Water spray/ fog.

### **ADVICE TO DOCTOR**

Evaluate for respiratory distress.

Consider lavage with cuffed tube.

NO adrenalin.

Preparation Date: 10/8/2001

